



UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS P.O. Box 1450 Alexandria, Viginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/000,333	10/22/2001	Lisa P. Weinberg	A01P1078	9773
7	590 05/30/20	3		
PACESETTER, INC.			EXAM	NER
15900 Valley V Sylmar, CA 9			GETZOW, SCOTT M	
			ART UNIT	PAPER NUMBER
			3762 DATE MAILED: 05/30/2003	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
•	10/000,333	WEINBERG ET AL.	ध			
Office Action Summary	Examiner	Art Unit				
	Scott M. Getzow	3762				
The MAILING DATE of this communication ap		et with the correspondence add	ress			
Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a repleted in No period for reply is specified above, the maximum statutory period. - Failure to reply within the set or extended period for reply will, by statute. - Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b). Status	36(a). In no event, however, n y within the statutory minimum will apply and will expire SIX (6 a. cause the application to beco	hay a reply be timely filed of thirty (30) days will be considered timely. MONTHS from the mailing date of this corume ABANDONED (35 U.S.C. § 133).	ımunication.			
1) Responsive to communication(s) filed on						
•	nis action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims			**			
4) ☐ Claim(s) 1-33 is/are pending in the application	n.					
4a) Of the above claim(s) is/are withdra	wn from consideration	l.				
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-5,8,11,16-33</u> is/are rejected.						
7)⊠ Claim(s) <u>6,7,9,10 and 12-15</u> is/are objected to	•					
8) Claim(s) are subject to restriction and/o	or election requiremen	i.				
Application Papers						
9) The specification is objected to by the Examine		– .				
10) ☐ The drawing(s) filed on is/are: a) ☐ acce						
Applicant may not request that any objection to the						
11) The proposed drawing correction filed on		disapproved by the Examiner	·-			
If approved, corrected drawings are required in re						
12) The oath or declaration is objected to by the Ex	kammer.					
Priority under 35 U.S.C. §§ 119 and 120						
13) Acknowledgment is made of a claim for foreig	n priority under 35 U.S	S.C. § 119(a)-(d) or (t).				
a) ☐ All b) ☐ Some * c) ☐ None of:						
1. Certified copies of the priority documen						
2. Certified copies of the priority documen						
3. Copies of the certified copies of the price application from the International But See the attached detailed Office action for a list	ireau (PCT Rule 17.2	(a)).	tage			
14) Acknowledgment is made of a claim for domest	•		application).			
a) The translation of the foreign language pro	ovisional application h	as been received.				
Attachment(s)	•					
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449) Paper No(s) 2	5) Noti	view Summary (PTO-413) Paper No(s ce of Informal Patent Application (PTO r:				
S. Patent and Trademark Office		Dort of Danes No. 4				

Application/Control Number: 10/000,333

Art Unit: 3762

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1-5,8,11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schwartz '507.

Schwartz is considered to render obvious the above method claims. Specifically, Schwartz teaches a vagal stimulator which can stimulate the left and/or right vagus nerves, see column 4, lines 47-68. Further, as is taught in column 5, lines 35-39, electrodes are provided which can stimulate, and sense signals from, the atrium. The placement of the right vagus nerve electrode of Schwartz is considered to be placed at a location that is 'near' the patient's cardiac branch. That is, one of ordinary skill in the art would deem the placement of the electrode to be near to the cardiac branch of the heart.

3. Claims 16-19,22-29,31-33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gilman '144.

Gilman is considered to render obvious all of the subject matter of the above claims. Gilman teaches a cardiac lead which includes a ventricular electrode 22 and an atrial electrodes 38. The sidearm 16 is deemed to allow for placement of the electrode 38 inside the patient's azygos vein. Thus, one of ordinary skill in

Application/Control Number: 10/000,333

Art Unit: 3762

the art would understand that the intended use of the lead as claimed by applicant could be accomplished by the structure of Gilman. Regarding claims 22,23, one of ordinary skill in the art would appreciate that the tines 40a-40d, as shown by Gilman, could accomplish secure placement of the lead inside the patient's heart. Regarding claims 24-26, to have a third electrode on the lead of Gilman would have been obvious and desirable since such would allow for better sensing of the patient's heart signal, and a more complete stimulation. (See other patents of record, including Mouchawar '198, where an electrode is in the SVC, atrium and ventricle).

4. Claims 20,21,30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gilman '144 as applied to claims 16,27 above, and further in view of Webster '025.

Gilman teaches all of the subject matter of the above claims except for an expandable electrode. Webster teaches an expandable electrode for use in a cardiovascular catheter. It would have been obvious to use such an electrode with the lead of Gilman since such an electrode structure allows for a more complete sensing of the heart chamber's ECG signal.

Allowable Subject Matter

5. Claims 6,7,9,10,12,13,14,15 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Application/Control Number: 10/000,333

Art Unit: 3762

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Scott M. Getzow whose telephone number is (703) 308-2997. The examiner can normally be reached on M-F, 9-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Angela Sykes can be reached on (703) 308-5181. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 872-9302 for regular communications and (703) 872-9303 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0858.

Scott M. Getzow Primary Examiner Art Unit 3762

smg May 26, 2003